

MEDOGYN

Trade Mark
Formerly FEMAIDE




**A NEW PRINCIPLE
IN A PROFESSIONALLY
PROVEN AND TESTED
VAGINAL PROPHYLACTIC**

**NON-IRRITATING
INSTANTLY EFFECTIVE
ABSOLUTELY HARMLESS**

Copyrighted U. S. Patent Office 1932

FOR PHYSICIANS EXCLUSIVELY

Why the MEDOGYN APPLICATOR Assures Effective Results



PATENT NOTICE

The Syringe or Applicator is fully protected under United States Patent No. 1,853,260. Only sets bearing this label and known as MEDOGYN are genuine. Other patents pending. The public is warned not to buy, use or sell any set not bearing the name MEDOGYN. Infringements will be vigorously prosecuted.


How MEDOGYN Is Used:

Medication is inserted into applicator by covering air valve (A) with finger and pressing bulb. This forces plunger (B) to the end of glass tube (C). In this position, applicator is inserted into jar of Medogyn Vaginal Jelly, then pressure is released from bulb until applicator is filled, automatically measuring a correct dosage 4 C. C. There is no waste of expensive ointment. The completely filled Applicator is inserted full length into the vagina until it reaches the cervix and is then to be withdrawn one-quarter inch. The bulb should then

be given a quick, vigorous squeeze, keeping the bulb compressed until applicator is withdrawn. This is the only correct way to use the Applicator and if instructions are followed the medication is applied directly to the cervix and the posterior Cul-de-Sac, thus forming a mechanical and chemical seal. After having filled applicator as per instructions, wipe off exterior of glass tube before inserting if excessive lubrication of lower vaginal tract is objectionable.

The squeeze of the bulb causes (B) to go forward with force, thus emitting the medication with a "splash" over a wide

area, as shown in (D), in the most thorough and positive manner. The Medogyn medication reaches and penetrates quickly between the rugae or minute vaginal folds. There is no uncertainty as to whether medication has been deposited in the correct place. It takes only a moment to apply and is immediately effective. It is no trouble to keep the Medogyn Applicator clean. It may be washed in hot or cold water or sterilized by boiling. The medication itself is highly antiseptic. The applicator should be operated once in cold water before placing in jelly and carefully washed in cold water after using.



MEDOGYN

TRADE MARK

A NEW PRINCIPLE IN A PROFESSIONALLY
PROVEN AND TESTED
VAGINAL PROPHYLACTIC




Illustration shows Medogyn unit complete, consisting of one jar of Medogyn Vaginal Jelly and one Medogyn Applicator. Package is in blue and silver with cellophane covering and is exceptionally attractive.

THE efficiency of Medogyn is due to a new Applicator (see diagram above) and a tested and proven Vaginal Jelly.

After thousands of hours of scientific research and most extensive country-wide clinical tests, Medogyn Vaginal Jelly, in conjunction with Medogyn Applicator (patents pending), has been found to comply fully with the six requirements professionally subscribed to as necessary for an effective and "fool-proof" intra-vaginal prophylactic:

"An efficient and safe intra-vaginal prophylactic for use by the laity must:

- "1. Be extremely soluble in vaginal secretions.
- "2. Penetrate quickly between the rugae or minute vaginal folds.
- "3. Be free from mercurial and cresol derivatives and other poisons.

- "4. Be non-irritating to the mucous membrane.
- "5. Be positively germicidal within 60 seconds after contact.
- "6. Be applied by the inexperienced patient without bruising or harm to the uterus or the delicate vaginal lining."

Where MEDOGYN May Be Used

Aside from its general prophylactic uses, Medogyn is a most effective aid in the treatment of pelvic congestion, leucorrhea, vaginitis, cervicitis, gonorrhea, and as a prophylactic for gonorrhea.

Medogyn Jelly is scientifically compounded from ingredients of acknowledged antiseptic and healing attributes with a chemically pure glycerine base. In contra-distinction to the non-soluble suppository with its grease or oil base, which does not thoroughly mix with water or the physiological secretions, Medogyn Jelly under body heat rapidly promotes a uniform antiseptic solution throughout.

Instantly Effective—Positively Germicidal

Medogyn contains that long sought for result—positive germicidal action without myxadenitis, or inflammation of the mucous glands. It almost instantly destroys not only the hardiest of germ life, but even the extremely resistant spores. Medogyn is non-caustic, in fact it has a most desirable acid reaction (pH—5.9). Medogyn is immediately effective and does not require any waiting period.

What MEDOGYN Vaginal Jelly Contains

Lactic Acid	acid reaction
Quinine Bi-Sulphate	antiseptic, protozoacide
Zinc Sulpho-carbolate	antiseptic, astringent
Chinosol	non-toxic, germicide
Glycerine (base)	excipient, lubricant
Resorcinol	germicide, antiseptic
Gum Tragacanth	body

Medogyn Vaginal Jelly is positively harmless, non-irritating to mucous membranes and contains no mercurial or cresol derivatives. It is **not greasy**. It adheres to the moist walls of the vagina and gives hours of prophylaxis. It gives the patient a feeling of cleanliness and well-being and security. If applied in the morning it will not be discharged during the day and **clothing cannot be soiled**. For the prevention of infection it should be used shortly before exposure.

The exceptional antiseptic and germicidal properties of Medogyn are largely due to that new yet already well-known germicide "Chinosol," which functions largely through its unique solvent action. Unlike other preparations, "Chinosol" should not be referred to as a powerful germicide, for although it is most effective in this capacity, its value results from its ability to harmlessly dissolve protein matter (of which bacteria are largely composed). It entirely obviates the necessity of using corrosive, toxic or irritating drugs or unstable ingredients.

The Douche

The best results are obtained by refraining from douching for 8 to 12 hours after application, but if it seems necessary to douche sooner, nearly the same prophylactic action will be accomplished by again applying a dose of Medogyn immediately after douching.

What a Doctor Says About MEDOGYN

"I have secured a report from a reputable Clinical Laboratory on your Medogyn Vaginal Jelly as follows.

"Micro organisms mentioned below were killed after contact with Medogyn for **one-half minute**:

Bacillus Coli
Gonococcus
Streptococcus
Staphylococcus albus and aureus
Bacillus subtilis and spore of B. Subtilis.

"Also have found that the most delicate mucous membranes are not irritated by long contact with Medogyn."

MANSETT LABORATORIES INC.

Formerly FEMAIDE

Telephone Rogers Park 3613

2735 Devon Avenue

CHICAGO

Exclusive Distributor

No.

For

Directions

Dr.

DETACH HERE

MEDOGYN

TRADE-MARK

HYGIENIC VAGINAL JELLY

TO BE USED WITH

Medogyn Applicator

Use one application of Jelly before exposure. It is not necessary to take a douche, but if taken another application is advisable.

PREPARED ONLY BY

**MANSETT
LABORATORIES, INC.**

2735 Devon Ave.
Chicago, Illinois